

Controllable and Guided Face Synthesis for Unconstrained Face Recognition

Feng Liu[✉], Minchul Kim[✉], Anil Jain[✉], and Xiaoming Liu[✉]

Michigan State University, Computer Science & Engineering
{liufeng6,kimminc2,jain,liuxm}@msu.edu

Abstract. Although significant advances have been made in face recognition (FR), FR in unconstrained environments remains challenging due to the domain gap between the semi-constrained training datasets and unconstrained testing scenarios. To address this problem, we propose a controllable face synthesis model (CFSM) that can mimic the distribution of target datasets in a style latent space. CFSM learns a linear subspace with orthogonal bases in the style latent space with precise control over the diversity and degree of synthesis. Furthermore, the pre-trained synthesis model can be guided by the FR model, making the resulting images more beneficial for FR model training. Besides, target dataset distributions are characterized by the learned orthogonal bases, which can be utilized to measure the distributional similarity among face datasets. Our approach yields significant performance gains on unconstrained benchmarks, such as IJB-B, IJB-C, TinyFace and IJB-S (+5.76% Rank1). Code is available at <http://cvlab.cse.msu.edu/project-cfsm.html>.

Keywords: Face Synthesis, Model Training, Target Dataset Distribution, Unconstrained Face Recognition

1 Introduction

Face recognition (FR) is now one of the most well-studied problems in the area of computer vision and pattern recognition. The rapid progress in face recognition accuracy can be attributed to developments in deep neural network models [25, 29, 71, 74], sophisticated design of loss functions [12, 33, 48, 49, 53, 73, 81–84, 86, 93], and large-scale training datasets, *e.g.*, MS-Celeb-1M [24] and WebFace260M [95].

Despite this progress, state-of-the-art (SoTA) FR models do not work well on real-world surveillance imagery (unconstrained) due to the domain shift issue, that is, the large-scale training datasets (semi-constrained) obtained via web-crawled celebrity faces lack in-the-wild variations, such as inherent sensor noise, low resolution, motion blur, turbulence effect, *etc.* For instance, 1:1 verification accuracy reported by one of the SoTA models [68] on unconstrained IJB-S [34] dataset is about 30% lower than on semi-constrained LFW [30]. A potential remedy to such a performance gap is to assemble a large-scale unconstrained face dataset. However, constructing such a training dataset with tens of thousands of subjects is prohibitively difficult with high manual labeling cost.




Fig. 1. (a) Given an input face image, our controllable face synthesis model (CFSM) enables precise control of the direction and magnitude of the targeted styles in the generated images. The latent style has both the direction and the magnitude, where the direction linearly combines the learned bases to control the *type* of style, while the magnitude controls the *degree* of style. (b) CFSM can incorporate the feedback provided by the FR model to generate synthetic training data that can benefit the FR model training and improve generalization to the unconstrained testing scenarios.

An alternative solution is to develop facial image generation models that can synthesize face images with desired properties. Face translation or synthesis using GANs [10, 37, 40, 41, 85, 90] or 3D face reconstruction [2, 27, 42, 63, 76, 77, 94] has been well studied in photo-realistic image generation. However, most of these methods mainly focus on face image restoration or editing, and hence do not lead to better face recognition accuracies. A recent line of research [44, 62, 70, 79] adopts disentangled face synthesis [13, 75, 78], which can provide control over explicit facial properties (pose, expression and illumination) for generating additional synthetic data for varied training data distributions. However, the hand-crafted categorization of facial properties and lack of design for cross-domain translation limits their generalizability to challenging testing scenarios. Shi *et al.* [69] propose to use an unlabeled dataset to boost unconstrained face recognition. However, all of the previous methods can be considered as performing *blind* data augmentation, *i.e.*, without the feedback of the FR model, which is required to provide critical information for improving the FR performance.

In Fig. 1, we show the difference between a blind and feedback-based face synthesis paradigm. For blind face synthesis, the FR model does not take part in the synthesis process, so there is no guidance from the FR model to avoid trivial synthesis. With feedback from the FR model, as in Fig. 1 (b), synthesized images can be more relevant to increasing the FR performance. Therefore, it is the goal of our paper to allow the FR model to guide the face synthesis towards creating synthetic datasets that can improve the FR performance.

It is not trivial to incorporate the signal from the FR model, as the direct manipulation of an input image towards decreasing the FR loss results in adversarial images that are not analogous to the real image distribution [23]. We thus propose to learn manipulation in the subspace of the *style space* of the target properties, so that the control can be accomplished 1) in low-dimensions, 2) semantically meaningful along with various quality factors.

In light of this, this paper aims to answer these three questions:

1. *Can we learn a face synthesis model that can discover the styles in the target unconstrained data, which enables us to precisely control and increase the diversity of the labeled training samples?*
2. *Can we incorporate the feedback provided by the FR model in generating synthetic training data, towards facilitating FR model training?*
3. *Additionally, as a by-product of our proposed style based synthesis, can we model the distribution of a target dataset, so that it allows us to quantify the distributional similarity among face datasets?*

Towards this end, we propose a face synthesis model that is 1) controllable in the synthesis process and 2) guided in the sense that the sample generation is aided by the signal from the FR model. Specifically, given a labeled training sample set, our controllable face synthesis model (CFSM) is trained to discover different attributes of the unconstrained target dataset in a style latent space. To learn the explicit degree and direction that control the styles in an unsupervised manner, we embed one linear subspace model with orthogonal bases into the style latent space. Within generative adversarial training, the face synthesis model seeks to capture the principal variations of the data distribution, and the style feature magnitude controls the degree of manipulation in the synthesis process.

More importantly, to extract the feedback of the FR model, we apply adversarial perturbations (FGSM) in the learned style latent space to guide the sample generation. This feedback is rendered meaningful and efficient because the manipulation is in the low dimensional style space as opposed to in the high dimensional image space. With the feedback from the FR model, the synthesized images are more beneficial to the FR performance, leading to significantly improved generalization capabilities of the FR models trained with them. It is worth noting that our pre-trained synthesis models could be a plug-in to any SoTA FR model. Unlike the conventional face synthesis models that focus on high quality realistic facial images, our face synthesis module is a conditional mapping from one image to a set of style shifted images that match the distribution of the target unconstrained dataset towards boosting its FR performance.

Additionally, the learned orthogonal bases characterize the target dataset distribution that could be utilized to quantify distribution similarity between datasets. The quantification of datasets has broad impact on various aspects. For example, knowing the dataset distribution similarity could be utilized to gauge the expected performance of FR systems in new datasets. Likewise, given a choice of various datasets to train an FR model, one can find one closest to the testing scenario of interest. Finally, when a new face dataset is captured in the future, we may also access its similarity to existing datasets in terms of styles, in addition to typical metrics such as number of subjects, demographics, etc.

In summary, the contributions of this work include:

- ◊ We show that a controllable face synthesis model with linear subspace style representation can generate facial images of the target dataset style, with precise control in the magnitude and type of style.

◊ We show that FR model performance can be greatly increased by synthesized images when the feedback of the FR model is used to optimize the latent style coefficient during image synthesis.

◊ Our learned linear subspace model can characterize the target dataset distribution for quantifying the distribution similarity between face datasets.

◊ Our approach yields significant performance gains on unconstrained face recognition benchmarks, such as IJB-B, IJB-C, IJB-S and TinyFace.

2 Prior Work

Controllable Face Synthesis With the remarkable ability of GANs [22], face synthesis has seen rapid developments, such as StyleGAN [40] and its variations [38, 39, 41] which can generate high-fidelity face images from random noises. Lately, GANs have seen widespread use in face image translation or manipulation [6, 10, 13, 28, 47, 61, 72, 88]. These methods typically adopt an encoder-decoder/generator-discriminator paradigm where the encoder embeds images into disentangled latent representations characterizing different face properties. Another line of works incorporates 3D prior (*i.e.*, 3DMM [5]) into GAN for 3D-controllable face synthesis [11, 16, 17, 42, 52, 59, 60, 67]. Also, EigenGAN [26] introduces the linear subspace model into each generator layer, which enables to discover layer-wise interpretable variations. Unfortunately, these methods mainly focus on high-quality face generation or editing on pose, illumination and age, which has a well-defined semantic meaning. However, style or domain differences are hard to be factorized at the semantic level. Therefore, we utilize learned bases to cover unconstrained dataset attributes, such as resolution, noise, *etc.*

Face Synthesis for Recognition Early attempts exploit disentangled face synthesis to generate additional synthetic training data for either reducing the negative effects of dataset bias in FR [44, 62, 64, 70, 79] or more efficient training of pose-invariant FR models [78, 91, 92], resulting in increased FR accuracy. However, these models only control limited face properties, such as pose, illumination and expression, which are not adequate for bridging the domain gap between the semi-constrained and unconstrained face data. The most pertinent study to our work is [69], which proposes to generalize face representations with auxiliary unlabeled data. Our framework differs in two aspects: i) our synthesis model is precisely-controllable in the style latent space, in both magnitude and direction, and ii) our synthesis model incorporates *guidance* from the FR model, which significantly improves the generalizability to unconstrained FR.

Domain Generalization and Adaptation Domain Generalization (DG) aims to make DNN perform well on unseen domains [18, 19, 46, 55, 56]. Conventionally, for DG, few labeled samples are provided for the target domain to generalize. Popular DG methods utilize auxiliary losses such as Maximum Mean Discrepancy or domain adversarial loss to learn a shared feature space across multiple source domains [18, 46, 56]. In contrast, our method falls into the category of Unsupervised Domain Adaptation where adaptation is achieved by adversarial loss, contrastive loss or image translation, and learning a shared feature




Fig. 2. Overview of the proposed method. Top (Stage 1): Pipeline for training the controllable face synthesis module that mimics the distribution of the target domain. \mathcal{L}_{adv} ensures target domain similarity, \mathcal{L}_{id} enforces the magnitude of \mathbf{o} to control the degree of synthesis, and \mathcal{L}_{ort} factorizes the target domain style with linear bases. Bottom (Stage 2): Pipeline for using the pre-trained face synthesis module for the purpose of training an FR model. The synthesis module works as an augmentation to the training data. We adversarially update \mathbf{o} to maximize \mathcal{L}_{cls} of a given FR model.

space that works for both the original and target domains [15, 36, 57, 58, 65, 80]. Our method augments data resembling the target domain with unlabeled images.

Dataset Distances It is important to characterize and contrast datasets in computer vision research. In recent years, various notions of dataset similarity have been proposed [1, 4, 50]. Alpha-distance and discrepancy distance [4, 50] measures a dissimilarity that depends on a loss function and the predictor. To avoid the dependency on the label space, [1] proposes OT distance, an optimal transport distance in the feature space. However, it still depends on the ability of the predictor to create a separable feature space across domains. Moreover, a feature extractor trained on one domain may not predict the resulting features as separable in a new domain. In contrast, we propose to utilize the learned linear bases for latent style codes, which are optimized for synthesizing images in target domains, to measure the dataset distance. The style-based distance has the benefit of not being dependent on the feature space or the label space.

3 Proposed Method

3.1 Controllable Face Synthesis Model

Generally, for face recognition model training, we are given a labeled semi-constrained dataset that consists of n face images $\mathcal{X} = \{\mathbf{X}\}_{i=1}^n$ and the corresponding identity labels. Meanwhile, similar to the work in [69], we assume the availability of an unlabeled target face dataset with m images $\mathcal{Y} = \{\mathbf{Y}\}_{i=1}^m$, which contains a large variety of unconstrained factors. Our goal is to learn a style latent space where the face synthesis model, given an input image from the semi-constrained dataset, can generate new face images of the same subject,

whose style is similar to the target dataset. Due to the lack of corresponding images, we seek an unsupervised algorithm that can learn to translate between domains without paired input-output examples. In addition, we hope this face synthesis model has explicit dimensions to control the unconstrained attributes.

Our face synthesis model is not designed to translate the intrinsic properties between faces, i.e., pose, identity or expression. It is designed to focus on capturing the unconstrained imaging environment factors in unconstrained face images, such as noise, low resolution, motion blur, turbulence effects, etc. These variations are not present in large-scale labeled training data for face recognition.

Multimodal Image Translation Network. We adopt a multimodal image-to-image translation network [32, 45] to discover the underlying style distribution in the target domain. Specifically, as shown in Fig. 2, our face synthesis generator consists of an encoder E and a decoder G . Given an input image $\mathbf{X} \in \mathbb{R}^{W \times H \times 3}$, the encoder first extracts its content features $\mathbf{C} = E(\mathbf{X})$. Then, the decoder generates the output image $\hat{\mathbf{X}} \in \mathbb{R}^{W \times H \times 3}$, conditioned on both the content features and a random style latent code $\mathbf{z} \in \mathcal{Z}^d$: $\hat{\mathbf{X}} = G(\mathbf{C}, \mathbf{z})$. Here, the style code \mathbf{z} is utilized to control the style of the output image.

Inspired by recent works that use affine transformation parameters in normalization layers to represent image styles [14, 31, 32, 40], we equip the residual blocks in the decoder D with Adaptive Instance Normalization (AdaIN) layers [31], whose parameters are dynamically generated by a multilayer perceptron (MLP) from the style code \mathbf{z} . Formally, the decoder process can be presented as

$$\hat{\mathbf{X}} = G(\mathbf{C}, \text{MLP}(\mathbf{z})). \quad (1)$$

It is worth noting that such G can model continuous distributions which enables us to generate multimodal outputs from a given input.

We employ one adversarial discriminator D to match the distribution of the synthesized images to the target data distribution; images generated by the model should be indistinguishable from real images in the target domain. The discriminator loss can be described as:

$$\mathcal{L}_D = -\mathbb{E}_{\mathbf{Y} \sim \mathcal{Y}}[\log(D(\mathbf{Y}))] - \mathbb{E}_{\mathbf{X} \sim \mathcal{X}, \mathbf{z} \sim \mathcal{Z}}[\log(1 - D(\hat{\mathbf{X}}))]. \quad (2)$$

The adversarial loss for the generator (including E and G) is then defined as:

$$\mathcal{L}_{adv} = -\mathbb{E}_{\mathbf{X} \sim \mathcal{X}, \mathbf{z} \sim \mathcal{Z}}[\log(D(\hat{\mathbf{X}}))]. \quad (3)$$

Domain-Aware Linear Subspace Model. To enable precise control of the targeted face properties, achieving flexible image generation, we propose to embed a linear subspace model with orthogonal bases into the style latent space. As illustrated in Fig. 2, a random style coefficient $\mathbf{o} \sim \mathcal{N}_q(\mathbf{0}, \mathbf{I})$ can be used to linearly combine the bases and form a new style code \mathbf{z} , as in

$$\mathbf{z} = \mathbf{U}\mathbf{o} + \boldsymbol{\mu}, \quad (4)$$

where $\mathbf{U} = [\mathbf{u}_1, \dots, \mathbf{u}_q] \in \mathbb{R}^{d \times q}$ is the orthonormal basis of the subspace. $\boldsymbol{\mu} \in \mathbb{R}^d$ denotes the mean style. This equation relates a q -dimensional coefficient \mathbf{o} to a

corresponding d -dimensional style vector ($q \ll d$) by an affine transformation and translation. During training, both \mathbf{U} and $\boldsymbol{\mu}$ are learnable parameters. The entire bases \mathbf{U} are optimized with the orthogonality constraint [26]: $\mathcal{L}_{ort} = \|\mathbf{U}^T \mathbf{U} - \mathbf{I}\|_1$, where \mathbf{I} is an identity matrix.

The isotropic prior distribution of \mathbf{o} does not indicate which directions are useful. However, with the help of the subspace model, each basis vector in \mathbf{U} identifies a latent direction that allows control over target image attributes that vary from straightforward high-level face properties. This mechanism is algorithmically simple, yet leads to effective control without requiring ad-hoc supervision. Accordingly, Eqn. 1 can be updated as $\hat{\mathbf{X}} = G(\mathbf{C}, \text{MLP}(\mathbf{U}\mathbf{o} + \boldsymbol{\mu}))$.

Magnitude of the Style Coefficient and Identity Preservation. Although the adversarial learning (Eqn. 2 and 3) could encourage the face synthesis module to characterize the attributes in the target data, it cannot ensure the identity information is maintained in the output face image. Hence, the cosine similarity S_C between the face feature vectors $f(\mathbf{X})$ and $f(\hat{\mathbf{X}})$ is used to enforce identity preservation: $\mathcal{L}_{id} = 1 - S_C(f(\mathbf{X}), f(\hat{\mathbf{X}}))$, where $f(\cdot)$ represents a pre-trained feature extractor, *i.e.*, ArcFace [12] in our implementation.

Besides identifying the meaningful latent direction, we continue to explore the property of the magnitude $a = \|\mathbf{o}\|$ of the style coefficient. We expect the magnitude can measure the degree of identity-preservation in the synthesized image $\hat{\mathbf{X}}$. In other words, $S_C(f(\mathbf{X}), f(\hat{\mathbf{X}}))$ monotonically increases when the magnitude a is decreased. To realize this goal, we re-formulate the identity loss:

$$\mathcal{L}_{id} = \left\| \left(1 - S_C(f(\mathbf{X}), f(\hat{\mathbf{X}})) \right) - g(a) \right\|_2^2, \quad (5)$$

where $g(a)$ is a function with respect to a . We assume the magnitude a is bounded in $[l_a, u_a]$. In our implementation, we define $g(a)$ as a linear function on $[l_a, u_a]$ with $g(l_a) = l_m$, $g(u_a) = u_m$: $g(a) = (a - l_a) \frac{u_m - l_m}{u_a - l_a} + l_m$.

By simultaneously learning the direction and magnitude of the style latent coefficients, our model becomes *precisely controllable* in capturing the variability of faces in the target domain. To our knowledge, this is the first method which is able to explore the complete set of two properties associated with the style, namely direction and magnitude, in unsupervised multimodal face translation.

Model learning. The total loss for the generator (including encoder E , decoder G and domain-aware linear subspace model), with weights λ_i , is

$$\mathcal{L}_G = \lambda_{adv} \mathcal{L}_{adv} + \lambda_{ort} \mathcal{L}_{ort} + \lambda_{id} \mathcal{L}_{id}. \quad (6)$$

3.2 Guided Face Synthesis for Face Recognition

In this section, we introduce how to incorporate the *pre-trained* face synthesis module into deep face representation learning, enhancing the generalizability to unconstrained FR. It is effectively addressing, *which synthetic images, when added as an augmentation to the data, will increase the performance of the learned FR model in the unconstrained scenarios?*

Formally, the FR model is trained to learn a mapping \mathcal{F} , such that $\mathcal{F}(\mathbf{X})$ is discriminative for different subjects. If \mathcal{F} is only trained on the domain defined by semi-constrained \mathcal{X} , it does not generalize well to unconstrained scenarios. However, \mathbf{X} with identity label l in a training batch may be augmented with a random style coefficient \mathbf{o} to produce a synthesized image $\hat{\mathbf{X}}$ with CFSM.

However, such data synthesis with random style coefficients may generate either extremely easy or hard samples, which may be redundant or detrimental to the FR training. To address this issue, we introduce an adversarial regularization strategy to *guide* the data augmentation process, so that the face synthesis module is able to generate meaningful samples for the FR model. Specifically, for a given pre-trained CFSM, we apply adversarial perturbations in the learned style latent space, in the direction of maximizing the FR model loss. Mathematically, given the perturbation budget ϵ , the adversary tries to find a style latent perturbation $\delta \in \mathbb{R}^d$ to maximize the classification loss function \mathcal{L}_{cla} :

$$\delta^* = \arg \max_{\|\delta\|_\infty < \epsilon} \mathcal{L}_{cla}(\mathcal{F}(\mathbf{X}^*), l), \text{ where } \mathbf{X}^* = G(E(\mathbf{X}), \text{MLP}(\mathbf{U}(\mathbf{o} + \delta) + \boldsymbol{\mu})). \quad (7)$$

Here, \mathbf{X}^* denotes the perturbed synthesized image. \mathcal{L}_{cla} could be any classification-based loss, *e.g.*, popular angular margin-based loss, ArcFace [12] in our implementation. In this work, for efficiency, we adopt the one-step Fast Gradient Sign Method (FGSM) [23] to obtain δ^* and subsequently update \mathbf{o} :

$$\mathbf{o}^* = \mathbf{o} + \delta^*, \quad \delta^* = \epsilon \cdot \text{sgn}(\nabla_{\mathbf{z}} \mathcal{L}_{cla}(\mathcal{F}(\mathbf{X}^*), l)), \quad (8)$$

where $\nabla \mathcal{L}_{cla}(\cdot, \cdot)$ denotes the gradient of $\mathcal{L}_{cla}(\cdot, \cdot)$ w.r.t. \mathbf{o} , and $\text{sgn}(\cdot)$ is the sign function.

Finally, based on the adversarial-based augmented face images, we further optimize the face embedding model \mathcal{F} via the objective:

$$\min_{\theta} \mathcal{L}_{cla}([\mathbf{X}^*, \mathbf{X}], l), \quad (9)$$

where θ indicates the parameters of FR model \mathcal{F} and $[\cdot]$ refers to concatenation in the batch dimension. In other words, it encourages to search for the best perturbations in the learned style latent space in the direction of maximal difficulty for the FR model. Examples within a mini-batch are shown in Fig. 3.

Dataset Distribution Measure As mentioned above, as a by-product of our learned face synthesis model, we obtain a target-specific linear subspace model, which can characterize the variations in the target dataset. Such learned linear subspace models allow us to quantify the distribution similarity among different datasets. For example, given two unlabeled datasets A and B , we can learn the




Fig. 3. Plot of mini-batch samples augmented with CFSM during training of the FR model. Top: Original images. Middle: Synthesized results before the feedback of the FR model. Bottom: Synthesized results after the feedback. The guide from the FR model can vary the images’ style for increased difficulty (a-d), and preventing the images from identity lost (e-h).

corresponding linear subspace models $\{\mathbf{U}_A, \boldsymbol{\mu}_A\}$ and $\{\mathbf{U}_B, \boldsymbol{\mu}_B\}$. We define the distribution similarity between them as

$$\mathcal{S}(A, B) = \frac{1}{q} \left(\sum_i^q S_C(\mathbf{u}_A^i + \boldsymbol{\mu}_A, \mathbf{u}_B^i + \boldsymbol{\mu}_B) \right), \quad (10)$$

where $S_C(\cdot, \cdot)$ denotes the Cosine Similarity between the corresponding basis vectors in \mathbf{U}_A and \mathbf{U}_B respectively, and q is the number of the basis vectors.

Measuring the distance or similarity between datasets is a fundamental concept underlying research areas such as domain adaptation and transfer learning. However, the solution to this problem typically involves measuring feature distance with respect to a learned model, which may be susceptible to modal failure that the model may encounter in unseen domains. In this work, we provide an alternative solution via learned style bases vectors, that are directly optimized to capture the characteristics of the target dataset. We hope our method could provide new understandings and creative insights in measuring the dataset similarity. For visualizations of S among different datasets, please refer to Sec. 4.3.

3.3 Implementation Details

All face images are aligned and resized into 112×112 pixels. The network architecture of the face synthesis model is given in the supplementary (*Supp*). In the main experiments, we set $q=10$, $d=128$, $l_a=0$, $u_a=6$, $l_m=0.05$, $u_m=0.65$, $\lambda_{adv}=1$, $\lambda_{ort}=1$, $\lambda_{id}=8$, $\epsilon=0.314$. For more details, refer to Sec. 4 or *Supp*.

4 Experimental Results

4.1 Comparison with SoTA FR methods

Datasets Following the experimental setting of [69], we use **MS-Celeb-1M** [24] as our labeled training dataset. MS-Celeb-1M is a large-scale public face dataset with web-crawled celebrity photos. For a fair comparison, we use the cleaned MS1M-V2 (3.9M images of 85.7K classes) from [69]. For our target data, **WiderFace** [89] is used. WiderFace is a dataset collected for face detection in challenging scenarios, with a diverse set of unconstrained variations. It is a suitable target dataset for training CFMS, as we aim to bridge the gap between the semi-constrained training faces and the faces in challenging testing scenarios. We follow [69] and use 70K face images from WiderFace. For evaluation, we test on four **unconstrained** face recognition benchmarks: IJB-B, IJB-C, IJB-S and TinyFace. These 4 datasets represent real-world testing scenarios where faces are significantly different from the semi-constrained training dataset.

◊ **IJB-B** [87] contains both high-quality celebrity photos collected in the wild and low-quality photos or video frames with large variations. It consists of 1,845 subjects with 21.8K still images and 55K frames from 7,011 videos.

◊ **IJB-C** [51] is an extension of IJB-B, which includes about 3,500 subjects with a total of 31,334 images and 117,542 unconstrained video frames.

Table 1. Comparison with state-of-the-art methods on the IJB-B benchmark. ‘*’ denotes a subset of data selected by the authors.

Method	Train Data, #labeled(+#unlabeled)	Backbone	Verification			Identification	
			$1e-5$	$1e-4$	$1e-3$	Rank1	Rank5
VGGFace2 [7]	VGGFace2, 3.3M	SE-ResNet-50	70.50	83.10	90.80	90.20	94.6
AFRN [35]	VGGFace2-*, 3.1M	ResNet-101	77.10	88.50	94.90	97.30	97.60
ArcFace [12]	MS1MV2, 5.8M	ResNet-50	84.28	91.66	94.81	92.95	95.60
MagFace [53]	MS1MV2, 5.8M	ResNet-50	83.87	91.47	94.67	—	—
Shi <i>et al.</i> [69]	cleaned MS1MV2, 3.9M(+70K)	ResNet-50	88.19	92.78	95.86	95.86	96.72
ArcFace	cleaned MS1MV2, 3.9M	ResNet-50	87.26	94.01	95.95	94.61	96.52
ArcFace+Ours	cleaned MS1MV2, 3.9M(+70K)	ResNet-50	90.95	94.61	96.21	94.96	96.84

Table 2. Comparison with state-of-the-art methods on the IJB-C benchmark.

Method	Train Data, #labeled(+#unlabeled)	Backbone	Verification			Identification	
			$1e-6$	$1e-5$	$1e-4$	Rank1	Rank5
VGGFace2 [7]	VGGFace2, 3.3M	SE-ResNet-50	-	76.80	86.20	91.40	95.10
AFRN [35]	VGGFace2-*, 3.1M	ResNet-101	-	88.30	93.00	95.70	97.60
PFE [68]	MS1M-*, 4.4M	ResNet-64	-	89.64	93.25	95.49	97.17
DUL [8]	MS1M-*, 3.6M	ResNet-64	-	90.23	94.20	95.70	97.60
ArcFace [12]	MS1MV2, 5.8M	ResNet-50	80.52	88.36	92.52	93.26	95.33
MagFace [53]	MS1MV2, 5.8M	ResNet-50	81.69	88.95	93.34	—	—
Shi <i>et al.</i> [69]	cleaned MS1MV2, 3.9M(+70K)	ResNet-50	87.92	91.86	94.66	95.61	97.13
ArcFace	cleaned MS1MV2, 3.9M	ResNet-50	87.24	93.32	95.61	95.89	97.08
ArcFace+ours	cleaned MS1MV2, 3.9M(+70K)	ResNet-50	89.34	94.06	95.90	96.31	97.48

◊ **IJB-S** [34] is an extremely challenging benchmark where the images were collected in real-world surveillance environments. The dataset contains 202 subjects with an average of 12 videos per subject. Each subject also has 7 high-quality enrollment photos under different poses. We test on three protocols, Surveillance-to-Still (**V2S**), Surveillance-to-Booking (**V2B**) and Surveillance-to-Surveillance (**V2V**). The first/second notation in the protocol refers to the probe/gallery image source. ‘Surveillance’ (V) refers to the surveillance video, ‘still’ (S) refers to the frontal high-quality enrollment image and ‘Booking’ (B) refers to the 7 high-quality enrollment images.

◊ **TinyFace** [9] consists of 5,139 labelled facial identities given by 169,403 native low resolution face images, which is created to facilitate the investigation of unconstrained low-resolution face recognition.

Experiment Setting We first train CFSM with $\sim 10\%$ of MS-Celeb-1M training data ($n = 0.4M$) as the source domain, and WiderFace as the target domain ($m = 70K$). The model is trained for 125,000 steps with a batch size of 32. Adam optimizer is used with $\beta_1 = 0.5$ and $\beta_2 = 0.99$ at a learning rate of $1e-4$.

For the FR model training, we adopt ResNet-50 as modified in [12] as the backbone and use ArcFace loss function [12] for training. We also train a model without using CFSM (*i.e.*, replication of ArcFace) for comparison, denoted as **ArcFace**. The efficacy of our method (**ArcFace+Ours**) is validated by training an FR model with the guided face synthesis as the auxiliary data augmentation during training according to Eq. 9.

Results. Tables 1 and 2 respectively show the face verification and identification results on IJB-B and IJB-C datasets. Our approach achieves SoTA performance on most of the protocols. For IJB-B, performance increase from us-

Table 3. Comparison with state-of-the-art methods on three protocols of the IJB-S and TinyFace benchmark. The performance is reported in terms of rank retrieval (closed-set) and TAR@FAR (open-set). It is worth noting that MARN [21] is a multi-mode aggregation method and is fine-tuned on UMDFaceVideo [3], a video dataset.

Method	Labeled Train Data	Backbone	IJB-S V2S				IJB-S V2B				IJB-S V2V				TinyFace	
			Rank1	Rank5	1%	10%	Rank1	Rank5	1%	10%	Rank1	Rank5	1%	10%	Rank1	Rank5
C-FAN [20]	MS1M-*	ResNet-64	50.82	61.16	16.44	24.19	53.04	62.67	27.40	29.70	10.05	17.55	0.11	0.68	—	—
MARN [21]	MS1M-*	ResNet-64	58.14	64.11	21.47	—	59.26	65.93	32.07	—	22.25	34.16	0.19	—	—	—
PFE [68]	MS1M-*	ResNet-64	50.16	58.33	31.88	35.33	53.60	61.75	35.99	39.82	9.20	20.82	0.84	2.83	—	—
ArcFace [12]	MS1MV2	ResNet-50	50.39	60.42	32.39	42.99	52.25	61.19	34.87	43.50	—	—	—	—	—	—
Shi <i>et al.</i> [69]	MS1MV2-*	ResNet-50	59.29	66.91	39.92	50.49	60.58	67.70	32.39	44.32	17.35	28.34	1.16	5.37	—	—
ArcFace [12]	MS1MV2-*	ResNet-50	58.78	66.40	40.99	50.45	60.66	67.43	43.12	51.38	14.81	26.72	2.51	5.72	62.21	66.85
ArcFace+Ours*	MS1MV2-*	ResNet-50	61.69	68.33	43.99	53.34	62.20	69.50	44.38	53.49	18.14	31.34	2.09	4.51	62.39	67.36
ArcFace+Ours	MS1MV2-*	ResNet-50	63.86	69.95	47.86	56.44	65.95	71.16	47.28	57.24	21.38	35.11	2.96	7.41	63.01	68.21
AdaFace [43]	WebFace12M	IRResNet-100	71.35	76.24	59.40	66.34	71.93	76.56	59.37	66.68	36.71	50.03	4.62	11.84	72.29	74.97
AdaFace+Ours	WebFace12M	IRResNet-100	72.54	77.59	60.94	66.02	72.65	78.18	60.26	65.88	39.14	50.91	5.05	13.17	73.87	76.77




Fig. 4. Comparison on three IJB-S protocols with varied number of training data on the x -axis (maximum is 3.9M). The plots shows that using guided CFSM as an augmentation (**ArcFace+Ours**) can lead to higher performance in all settings. Note that CFSM trained on 70K unlabeled data is more useful than 3M original data as shown by the higher **V2V** performance of **Ours** with 0.5M than Baseline 3.9M.

ing CFSM (**ArcFace+Ours**) is 3.69% for TAR@FAR= $1e-5$, and 2.10% for TAR@FAR= $1e-6$ on IJB-C. Since both IJB-B and IJB-C are a mixture of high quality images and low quality videos, the performance gains with the augmented data indicate that our model can generalize to both high and low quality scenarios. In Tab. 3, we show the comparisons on IJB-S and TinyFace. With our CFSM (**ArcFace+Ours**), ArcFace model outperforms all the baselines in both face identification and verification tasks, and achieves a new SoTA performance.

4.2 Ablation and Analysis

In this experiment, we compare the face verification and identification performance on the *most challenging* IJB-S and TinyFace datasets.




Fig. 5. (a) Few examples from each dataset. Note differences in style. For example, AgeDB contains old grayscale photos, WiderFace has mostly low resolution faces, and IJB-S includes extreme unconstrained attributes (*i.e.*, noise, motion blur or turbulence effect). (b) shows the pairwise distribution similarity scores among datasets that are calculated using the learned subspace via Eq. 10. Note both IJB-B and WiderFace have high similarity scores with IJB-S. (c) The t-SNE plot of the learned $[\mathbf{u}_1, \dots, \mathbf{u}_{10}]$ and mean style μ . The dots represent $\mathbf{u}_i + \mu$ and the stars denote μ .

Large-scale Training Data vs. Augmentation. To further validate the applicability of our CFSM as an augmentation in different training settings, we adopt IResNet-100 [12] as the FR model backbone and utilize SoTA AdaFace loss function [43] and large-scale WebFace12M [95] dataset for training. As compared in Tab. 3, our model still improves unconstrained face recognition accuracies by a promising margin (Rank1: +2.43% on the IJB-S V2V protocol and +1.58% on TinyFace) on a large-scale training dataset (WebFace12M).

Effect of Guidance in CFSM. To validate the effectiveness of the proposed *controllable* and *guided* face synthesis model in face recognition, we train a FR model with CFSM as augmentation but with random style coefficients (**Ours***), and compare with guided CFSM (**Ours**). Tab. 3 shows that the synthesis with random coefficients does not bring significant benefit to unconstrained IJB-S dataset performance. However, when samples are generated with guided CFSM, the trained FR model performs much better. Fig. 3 shows the effect of guidance in the training images. For low quality images, too much degradation leads to images with altered identity. Fig. 3 shows that guided CFSM avoids synthesizing bad quality images that are unidentifiable.

Effect of the Number of Labeled Training Data. To validate the effect of the number of labeled training data, we train a series of models by adjusting the number of labeled training samples from 0.5M to 3.9M and report results both on **ArcFace** and **ArcFace+Ours** settings. Fig. 4 shows the performance on various IJB-S protocols. For the full data usage setting, our model trained with guided CFSM as an augmentation outperforms the baseline by a large margin. Also note that the proposed method trained with 1/8th (0.5M) labeled data still achieves comparable performance, or even better than the baseline with 3.9M labeled data on **V2V** protocol. This is due to CFSM generating target data-specific augmentations, thus demonstrating the value of our controllable and guided face synthesis, which can significantly boost unconstrained FR performance.



Fig. 6. Interpretable magnitude of the style coefficients. Given an input image, we randomly sample two sets of style coefficients \mathbf{o}_1 (left) and \mathbf{o}_2 (right) for all 3 models (respectively trained with the IJB-S, WiderFace and AgeDB datasets as the target data). We dynamically adjust the magnitude of these two coefficients by $0.5a$, a , $1.5a$, $2a$, $3a$, $4a$, where $a = \frac{\mathbf{o}}{\|\mathbf{o}\|}$. As can be seen, our model indeed realizes the goal of changing the degree of style synthesis with the coefficient magnitude.

4.3 Analysis and Visualizations of the Face Synthesis model

In this experiment, we quantitatively evaluate the distributional similarity between datasets based on the learned linear subspace model for face synthesis. To this end, we choose 6 face datasets that are publicly available and popular for face recognition testing. These datasets are LFW [30], AgeDB-30 [54], CFP-FP [66], IJB-B [87], WiderFace (WF) [89] and IJB-S [34]. Figure 5(a) shows examples from these 6 datasets. Each dataset has its own style. For example, CFP-FP includes profile faces, WiderFace has mostly low resolution faces, and IJB-S contains extreme unconstrained attributes. During training, for each dataset, we randomly select 12K images as our target data to train the synthesis model. For the source data, we use the same subset of MS-Celeb-1M as in Sec. 4.1.

Distribution Similarity Based on the learned dataset-specific linear subspace model, we calculate the pairwise distribution similarity score via Eqn. 10. As shown in Fig. 5(b), the score reflects the style correlation between datasets. For instance, strong correlations among IJB-B, IJB-S and WiderFace (WF) are observed. We further visualize the learned basis vectors $[\mathbf{u}_1, \dots, \mathbf{u}_q]$ and the mean style μ in Fig. 5(c). The basis vectors are well clustered and the discriminative grouping indicates the correlation between dataset-specific models.

Visualizations of Style Latent Spaces Fig. 6 shows face images generated by the learned CFSM. It can be seen that when the magnitude increases, the corresponding synthesized faces reveal more dataset-specific style variations. This implies the magnitude of the style code is a good indicator of image quality.

We also visualize the learned \mathbf{U} of 6 models in Fig. 7. As we move along a basis vector of the learned subspace, the synthesized images change their style in dataset-specific ways. For instance, with target as WiderFace or IJB-S, synthesized images show various low quality styles such as blurring or turbulence effect. CFP dataset contains cropped images, and the “crop” style manifests in certain directions. Also, we can observe the learned \mathbf{U} are different among



Fig. 7. Given a single input image, we visualize the synthesized images by traversing along with the learned orthonormal basis \mathbf{U} in the 6 dataset-specific models. For each dataset, Rows 1–3 illustrate the first 3 basis vectors traversed. Columns 1–5 show the directions which are scaled to emphasize their effect, *i.e.*, only one element of style coefficient \mathbf{o} varies from -3σ to 3σ while other $q-1$ elements remain 0.

datasets, which further verifies that our learned linear subspace model in CFSSM is able to capture the variations in target datasets.

5 Conclusions

We answer the fundamental question of “*How can image synthesis benefit the end goal of improving the recognition task?*” Our controllable face synthesis model (CFSSM) with adversarial feedback of FR model shows the merit of task-oriented image manipulation, evidenced by significant performance increases in unconstrained face datasets (IJB-B, IJB-C, IJB-S and TinyFace). In a broader context, it shows that adversarial manipulation could go beyond being an attacker, and serve to increase recognition accuracies in vision tasks. Meanwhile, we define a dataset similarity metric based on the learned style bases, which capture the style differences in a label or predictor agnostic way. We believe that our research has presented the power of a controllable and guided face synthesis model for unconstrained FR and provides an understanding of dataset differences.

Acknowledgments. This research is based upon work supported in part by the Office of the Director of National Intelligence (ODNI), Intelligence Advanced Research Projects Activity (IARPA), via 2022-21102100004. The views and conclusions contained herein are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of ODNI, IARPA, or the U.S. Government. The U.S. Government is authorized to reproduce and distribute reprints for governmental purposes notwithstanding any copyright annotation therein.

References

1. Alvarez-Melis, D., Fusi, N.: Geometric dataset distances via optimal transport. *Advances in Neural Information Processing Systems* **33**, 21428–21439 (2020) [5](#)
2. Bai, Z., Cui, Z., Liu, X., Tan, P.: Riggable 3d face reconstruction via in-network optimization. In: *CVPR (2021)* [2](#)
3. Bansal, A., Castillo, C., Ranjan, R., Chellappa, R.: The do’s and don’ts for CNN-based face verification. In: *ICCVW (2017)* [11](#)
4. Ben-David, S., Blitzer, J., Crammer, K., Pereira, F.: Analysis of representations for domain adaptation. In: *NeurIPS (2006)* [5](#)
5. Blanz, V., Vetter, T.: A morphable model for the synthesis of 3D faces. In: *SIGGRAPH (1999)* [4](#)
6. Bulat, A., Yang, J., Tzimiropoulos, G.: To learn image super-resolution, use a gan to learn how to do image degradation first. In: *ECCV (2018)* [4](#)
7. Cao, Q., Shen, L., Xie, W., Parkhi, O.M., Zisserman, A.: VGGface2: A dataset for recognising faces across pose and age. In: *FG (2018)* [10](#)
8. Chang, J., Lan, Z., Cheng, C., Wei, Y.: Data uncertainty learning in face recognition. In: *CVPR (2020)* [10](#)
9. Cheng, Z., Zhu, X., Gong, S.: Low-resolution face recognition. In: *ACCV (2018)* [10](#)
10. Choi, Y., Choi, M., Kim, M., Ha, J.W., Kim, S., Choo, J.: StarGAN: Unified generative adversarial networks for multi-domain image-to-image translation. In: *CVPR (2018)* [2](#), [4](#)
11. Deng, J., Cheng, S., Xue, N., Zhou, Y., Zafeiriou, S.: UV-GAN: Adversarial facial uv map completion for pose-invariant face recognition. In: *CVPR (2018)* [4](#)
12. Deng, J., Guo, J., Xue, N., Zafeiriou, S.: ArcFace: Additive angular margin loss for deep face recognition. In: *CVPR (2019)* [1](#), [7](#), [8](#), [10](#), [11](#), [12](#)
13. Deng, Y., Yang, J., Chen, D., Wen, F., Tong, X.: Disentangled and controllable face image generation via 3D imitative-contrastive learning. In: *CVPR (2020)* [2](#), [4](#)
14. Dumoulin, V., Shlens, J., Kudlur, M.: A learned representation for artistic style. In: *ICLR (2017)* [6](#)
15. Ganin, Y., Lempitsky, V.: Unsupervised domain adaptation by backpropagation. In: *ICML (2015)* [5](#)
16. Gecer, B., Bhattarai, B., Kittler, J., Kim, T.K.: Semi-supervised adversarial learning to generate photorealistic face images of new identities from 3D morphable model. In: *ECCV (2018)* [4](#)
17. Geng, Z., Cao, C., Tulyakov, S.: 3D guided fine-grained face manipulation. In: *CVPR (2019)* [4](#)
18. Ghifary, M., Balduzzi, D., Kleijn, W.B., Zhang, M.: Scatter component analysis: A unified framework for domain adaptation and domain generalization. *PAMI (2016)* [4](#)
19. Ghifary, M., Kleijn, W.B., Zhang, M., Balduzzi, D.: Domain generalization for object recognition with multi-task autoencoders. In: *ICCV (2015)* [4](#)
20. Gong, S., Shi, Y., Kalka, N.D., Jain, A.K.: Video face recognition: Component-wise feature aggregation network. In: *ICB (2019)* [11](#)
21. Gong, S., Shi, Y., Jain, A.: Low quality video face recognition: Multi-mode aggregation recurrent network. In: *ICCVW (2019)* [11](#)
22. Goodfellow, I., Pouget-Abadie, J., Mirza, M., Xu, B., Warde-Farley, D., Ozair, S., Courville, A., Bengio, Y.: Generative adversarial nets. In: *NeurIPS (2014)* [4](#)

23. Goodfellow, I.J., Shlens, J., Szegedy, C.: Explaining and harnessing adversarial examples. In: ICLR (2015) [2](#), [8](#)
24. Guo, Y., Zhang, L., Hu, Y., He, X., Gao, J.: MS-Celeb-1M: A dataset and benchmark for large-scale face recognition. In: ECCV (2016) [1](#), [9](#)
25. He, K., Zhang, X., Ren, S., Sun, J.: Deep residual learning for image recognition. In: CVPR (2016) [1](#)
26. He, Z., Kan, M., Shan, S.: EigenGAN: Layer-wise eigen-learning for gans. In: ICCV (2021) [4](#), [7](#)
27. Hou, A., Sarkis, M., Bi, N., Tong, Y., Liu, X.: Face relighting with geometrically consistent shadows. In: CVPR (2022) [2](#)
28. Hu, Q., Szabó, A., Portenier, T., Favaro, P., Zwicker, M.: Disentangling factors of variation by mixing them. In: CVPR (2018) [4](#)
29. Huang, G., Liu, Z., Van Der Maaten, L., Weinberger, K.Q.: Densely connected convolutional networks. In: CVPR (2017) [1](#)
30. Huang, G.B., Ramesh, M., Berg, T., Learned-Miller, E.: Labeled faces in the wild: A database for studying face recognition in unconstrained environments. Tech. Rep. 07-49, University of Massachusetts, Amherst (2007) [1](#), [13](#)
31. Huang, X., Belongie, S.: Arbitrary style transfer in real-time with adaptive instance normalization. In: ICCV (2017) [6](#)
32. Huang, X., Liu, M.Y., Belongie, S., Kautz, J.: Multimodal unsupervised image-to-image translation. In: ECCV (2018) [6](#)
33. Huang, Y., Wang, Y., Tai, Y., Liu, X., Shen, P., Li, S., Li, J., Huang, F.: CurricularFace: adaptive curriculum learning loss for deep face recognition. In: CVPR (2020) [1](#)
34. Kalka, N.D., Maze, B., Duncan, J.A., O’Connor, K., Elliott, S., Hebert, K., Bryan, J., Jain, A.K.: IJB-S: Iarpa janus surveillance video benchmark. In: BTAS (2018) [1](#), [10](#), [13](#)
35. Kang, B.N., Kim, Y., Jun, B., Kim, D.: Attentional feature-pair relation networks for accurate face recognition. In: ICCV (2019) [10](#)
36. Kang, G., Jiang, L., Yang, Y., Hauptmann, A.G.: Contrastive adaptation network for unsupervised domain adaptation. In: CVPR (2019) [5](#)
37. Karras, T., Aila, T., Laine, S., Lehtinen, J.: Progressive growing of gans for improved quality, stability, and variation. In: ICLR (2018) [2](#)
38. Karras, T., Aittala, M., Hellsten, J., Laine, S., Lehtinen, J., Aila, T.: Training generative adversarial networks with limited data. In: NeurIPS (2020) [4](#)
39. Karras, T., Aittala, M., Laine, S., Härkönen, E., Hellsten, J., Lehtinen, J., Aila, T.: Alias-free generative adversarial networks. In: NeurIPS (2021) [4](#)
40. Karras, T., Laine, S., Aila, T.: A style-based generator architecture for generative adversarial networks. In: CVPR (2019) [2](#), [4](#), [6](#)
41. Karras, T., Laine, S., Aittala, M., Hellsten, J., Lehtinen, J., Aila, T.: Analyzing and improving the image quality of stylegan. In: CVPR (2020) [2](#), [4](#)
42. Kim, H., Garrido, P., Tewari, A., Xu, W., Thies, J., Niessner, M., Pérez, P., Richardt, C., Zollhöfer, M., Theobalt, C.: Deep video portraits. TOG (2018) [2](#), [4](#)
43. Kim, M., Jain, A.K., Liu, X.: AdaFace: Quality adaptive margin for face recognition. In: CVPR (2022) [11](#), [12](#)
44. Kortylewski, A., Egger, B., Schneider, A., Gerig, T., Morel-Forster, A., Vetter, T.: Analyzing and reducing the damage of dataset bias to face recognition with synthetic data. In: CVPRW (2019) [2](#), [4](#)
45. Lee, H.Y., Tseng, H.Y., Huang, J.B., Singh, M., Yang, M.H.: Diverse image-to-image translation via disentangled representations. In: ECCV (2018) [6](#)

46. Li, H., Pan, S.J., Wang, S., Kot, A.C.: Domain generalization with adversarial feature learning. In: CVPR (2018) 4
47. Lin, J., Xia, Y., Qin, T., Chen, Z., Liu, T.Y.: Conditional image-to-image translation. In: CVPR (2018) 4
48. Liu, H., Zhu, X., Lei, Z., Li, S.Z.: AdaptiveFace: Adaptive margin and sampling for face recognition. In: CVPR (2019) 1
49. Liu, W., Wen, Y., Yu, Z., Li, M., Raj, B., Song, L.: SphereFace: Deep hypersphere embedding for face recognition. In: CVPR (2017) 1
50. Mansour, Y., Mohri, M., Rostamizadeh, A.: Domain adaptation: Learning bounds and algorithms. In: COLT (2009) 5
51. Maze, B., Adams, J., Duncan, J.A., Kalka, N., Miller, T., Otto, C., Jain, A.K., Niggel, W.T., Anderson, J., Cheney, J., et al.: Iarpa janus benchmark-C: Face dataset and protocol. In: ICB (2018) 9
52. Medin, S.C., Egger, B., Cherian, A., Wang, Y., Tenenbaum, J.B., Liu, X., Marks, T.K.: MOST-GAN: 3d morphable stylegan for disentangled face image manipulation. In: AAAI (2022) 4
53. Meng, Q., Zhao, S., Huang, Z., Zhou, F.: MagFace: A universal representation for face recognition and quality assessment. In: CVPR (2021) 1, 10
54. Moschoglou, S., Papaioannou, A., Sagonas, C., Deng, J., Kotsia, I., Zafeiriou, S.: AgeDB: the first manually collected, in-the-wild age database. In: CVPRW (2017) 13
55. Motiian, S., Piccirilli, M., Adjeroh, D.A., Doretto, G.: Unified deep supervised domain adaptation and generalization. In: ICCV (2017) 4
56. Muandet, K., Balduzzi, D., Schölkopf, B.: Domain generalization via invariant feature representation. In: ICML (2013) 4
57. Murez, Z., Kolouri, S., Kriegman, D., Ramamoorthi, R., Kim, K.: Image to image translation for domain adaptation. In: CVPR (2018) 5
58. Nam, H., Lee, H., Park, J., Yoon, W., Yoo, D.: Reducing domain gap by reducing style bias. In: CVPR (2021) 5
59. Nguyen-Phuoc, T., Li, C., Theis, L., Richardt, C., Yang, Y.L.: HoloGAN: Un-supervised learning of 3d representations from natural images. In: ICCV (2019) 4
60. Piao, J., Qian, C., Li, H.: Semi-supervised monocular 3D face reconstruction with end-to-end shape-preserved domain transfer. In: ICCV (2019) 4
61. Pumarola, A., Agudo, A., Martinez, A.M., Sanfeliu, A., Moreno-Noguer, F.: Ganimation: Anatomically-aware facial animation from a single image. In: ECCV (2018) 4
62. Qiu, H., Yu, B., Gong, D., Li, Z., Liu, W., Tao, D.: SynFace: Face recognition with synthetic data. In: ICCV (2021) 2, 4
63. Rossler, A., Cozzolino, D., Verdoliva, L., Riess, C., Thies, J., Nießner, M.: Faceforensics++: Learning to detect manipulated facial images. In: ICCV (2019) 2
64. Ruiz, N., Theobald, B.J., Ranjan, A., Abdelaziz, A.H., Apostoloff, N.: MorphGAN: One-shot face synthesis gan for detecting recognition bias. arXiv preprint arXiv:2012.05225 (2020) 4
65. Saito, K., Watanabe, K., Ushiku, Y., Harada, T.: Maximum classifier discrepancy for unsupervised domain adaptation. In: CVPR (2018) 5
66. Sengupta, S., Chen, J.C., Castillo, C., Patel, V.M., Chellappa, R., Jacobs, D.W.: Frontal to profile face verification in the wild. In: WACV (2016) 13
67. Shen, Y., Zhou, B., Luo, P., Tang, X.: Facefeat-GAN: a two-stage approach for identity-preserving face synthesis. arXiv preprint arXiv:1812.01288 (2018) 4

68. Shi, Y., Jain, A.K.: Probabilistic face embeddings. In: ICCV (2019) [1](#), [10](#), [11](#)
69. Shi, Y., Jain, A.K.: Boosting unconstrained face recognition with auxiliary unlabeled data. In: CVPRW (2021) [2](#), [4](#), [5](#), [9](#), [10](#), [11](#)
70. Shi, Y., Yu, X., Sohn, K., Chandraker, M., Jain, A.K.: Towards universal representation learning for deep face recognition. In: CVPR (2020) [2](#), [4](#)
71. Simonyan, K., Zisserman, A.: Very deep convolutional networks for large-scale image recognition. arXiv preprint arXiv:1409.1556 (2014) [1](#)
72. Sun, T., Barron, J.T., Tsai, Y.T., Xu, Z., Yu, X., Fyffe, G., Rhemann, C., Busch, J., Debevec, P.E., Ramamoorthi, R.: Single image portrait relighting. TOG (2019) [4](#)
73. Sun, Y., Cheng, C., Zhang, Y., Zhang, C., Zheng, L., Wang, Z., Wei, Y.: Circle loss: A unified perspective of pair similarity optimization. In: CVPR (2020) [1](#)
74. Tan, M., Le, Q.: Efficientnet: Rethinking model scaling for convolutional neural networks. In: ICML (2019) [1](#)
75. Tewari, A., Elgharib, M., Bharaj, G., Bernard, F., Seidel, H.P., Pérez, P., Zollhofer, M., Theobalt, C.: StyleRig: Rigging stylegan for 3D control over portrait images. In: CVPR (2020) [2](#)
76. Thies, J., Zollhofer, M., Stamminger, M., Theobalt, C., Nießner, M.: Face2Face: Real-time face capture and reenactment of RGB videos. In: CVPR (2016) [2](#)
77. Tran, L., Liu, X.: Nonlinear 3d face morphable model. In: CVPR (2018) [2](#)
78. Tran, L., Yin, X., Liu, X.: Disentangled representation learning GAN for pose-invariant face recognition. In: CVPR (2017) [2](#), [4](#)
79. Trigueros, D.S., Meng, L., Hartnett, M.: Generating photo-realistic training data to improve face recognition accuracy. Neural Networks (2021) [2](#), [4](#)
80. Tzeng, E., Hoffman, J., Saenko, K., Darrell, T.: Adversarial discriminative domain adaptation. In: CVPR (2017) [5](#)
81. Wang, F., Cheng, J., Liu, W., Liu, H.: Additive margin softmax for face verification. SPL (2018) [1](#)
82. Wang, F., Xiang, X., Cheng, J., Yuille, A.L.: NormFace: L2 hypersphere embedding for face verification. In: ACM MM (2017) [1](#)
83. Wang, H., Wang, Y., Zhou, Z., Ji, X., Gong, D., Zhou, J., Li, Z., Liu, W.: CosFace: Large margin cosine loss for deep face recognition. In: CVPR (2018) [1](#)
84. Wang, X., Zhang, S., Wang, S., Fu, T., Shi, H., Mei, T.: Mis-Classified vector guided softmax loss for face recognition. In: AAAI (2020) [1](#)
85. Wang, X., Li, Y., Zhang, H., Shan, Y.: Towards real-world blind face restoration with generative facial prior. In: CVPR (2021) [2](#)
86. Wen, Y., Zhang, K., Li, Z., Qiao, Y.: A discriminative feature learning approach for deep face recognition. In: ECCV (2016) [1](#)
87. Whitelam, C., Taborsky, E., Blanton, A., Maze, B., Adams, J., Miller, T., Kalka, N., Jain, A.K., Duncan, J.A., Allen, K., et al.: Iarpa janus benchmark-B face dataset. In: CVPRW (2017) [9](#), [13](#)
88. Xiao, T., Hong, J., Ma, J.: Elegant: Exchanging latent encodings with GAN for transferring multiple face attributes. In: ECCV (2018) [4](#)
89. Yang, S., Luo, P., Loy, C.C., Tang, X.: Wider face: A face detection benchmark. In: CVPR (2016) [9](#), [13](#)
90. Yang, T., Ren, P., Xie, X., Zhang, L.: GAN prior embedded network for blind face restoration in the wild. In: CVPR (2021) [2](#)
91. Yin, X., Yu, X., Sohn, K., Liu, X., Chandraker, M.: Towards large-pose face frontalization in the wild. In: ICCV (2017) [4](#)
92. Zhao, J., Xiong, L., Li, J., Xing, J., Yan, S., Feng, J.: 3D-aided dual-agent GANs for unconstrained face recognition. TPAMI (2018) [4](#)

93. Zheng, Y., Pal, D.K., Savvides, M.: Ring loss: Convex feature normalization for face recognition. In: CVPR (2018) [1](#)
94. Zhu, X., Lei, Z., Liu, X., Shi, H., Li, S.Z.: Face alignment across large poses: A 3D solution. In: CVPR (2016) [2](#)
95. Zhu, Z., Huang, G., Deng, J., Ye, Y., Huang, J., Chen, X., Zhu, J., Yang, T., Lu, J., Du, D., et al.: WebFace260M: A benchmark unveiling the power of million-scale deep face recognition. In: CVPR (2021) [1](#), [12](#)